Safety Data Sheet

according to the Model Work Health and Safety Regulations Issue date:17/01/2018 Revision date:14/06/2019 Supersedes:17/01/2018 Version: 5.1 SDS No: 10896-0093



SECTION 1: Product identifier		
1.1. GHS Product identifier		
Product form Substance name Product code	: Substance : Tylose H 60000 YP2 : HEC_R	
1.2. Other means of identification		
Further information	: UFI: Not classified = Not applicable	
1.3. Recommended use of the chemical an	d restrictions on use	
Recommended use Restrictions on use	 Rheological Additive Special applications Coating material Chemical for use in construction There is no information available on applications that are not advised 	
1.4. Details of manufacturer or importer		
Manufacturer SE Tylose GmbH & Co. KG Kasteler Straße 45 Wiesbaden 65203 Germany T + 49 611 962 6309 product.safety@setylose.com - www.setylose.com Importer Admil Adhesives 80-84 Peters Avenue Mulgrave, VIC, 3170 Australia T Business Hours (03) 8544 6200 support@silicone.com.au E-mail address of competent person responsible for	Informing department Customer Service / Sales T +49 611 962 6325 reiner.posprich@setylose.com	
1.5. Emergency phone number		
Emergency number	: Emergency CONTACT Australia (24-Hour-Number): Infotrac/GBK GmbH Customer ID: 102867	+61-280735031
SECTION 2: Hazard identification		
2.1. Classification of the hazardous chemic	cal	
Classification according to the model Work Hea	Ith and Safety Regulations (WHS Regulations)	

Not classified

2.2. GHS Label elements, including precautionary statements

No labelling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Dust may form explosive mixture in air. Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0093



SECTION 3: Composition and information on ingredients

Comments

: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006.

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Cellulose, 2 - hydroxyethyl ether, retarded	9004-62-0	> 88	Not classified
Glyoxal	107-22-2	< 0,01	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 2, H341 STOT SE 3, H335

Comments

: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 4: First aid measures	
4.1. Description of necessary first-aid meas	ures
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	 Remove person to fresh air and keep comfortable for breathing. Call a doctor. Wash skin with plenty of water. Rinse immediately with plenty of water, also under the eyelids. Consult an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth. If you feel unwell, seek medical advice.
4.2. Symptoms caused by exposure	
Symptoms/effects after skin contact Symptoms/effects after eye contact	May cause sensitisation of susceptible persons by skin contact.May cause eye irritation.
4.3. Medical attention and special treatment	
Treatment	: Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Sand. Alcohol resistant foam. Chemical powder. Carbon dioxide. Water spray.No data available.
5.2. Specific hazards arising from the cher	nical
General measures Hazardous decomposition products in case of fire	Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.Toxic fumes may be released. Carbon oxides (CO, CO2).
5.3. Special protective equipment and pred	cautions for fire-fighters
Protection during firefighting	: Self-contained breathing apparatus.

SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prot	ective equipment and emergency procedures	
General measures	: Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.	

General measures

14/06/2019 (Revision date)

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0093



6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Large amounts of the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

: Shovel or sweep up and put in a closed container for disposal. Avoid dust formation.

SECTION 7: Handling and storage	ge
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid dust formation. Dust may form explosive mixture in air. Keep away from sources of ignition - No smoking.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage conditions Information on mixed storage	Material is hygroscopic. Protect from atmospheric moisture and water.No special storage requirements.

SECTION 8: Exposure controls and	d personal protection	
8.1. Control parameters - exposure sta	indards	
Tylose H 60000 YP2		
Australia - Occupational Exposure Limits		
	Obey TLV for common dust, if applicable	
8.2. Biological Monitoring		
No additional information available		
8.3. Engineering controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Avoid dust formation.	
8.4. Individual protection measures, su	uch as personal protective equipment (PPE)	

Hand protection		depends not only on the	conditions of use. Choosing the pro type of material, but also on other ase follow the instructions related to be by the manufacturer	quality features, which differ for
Eye protection	:	Not required for normal	conditions of use	
Skin and body protection	:	Wear suitable protective	clothing	
Respiratory protection	:	In case of insufficient ve	ntilation, wear suitable respiratory e	equipment
Device		Filter type	Condition	Standard
Breathing apparatus with filter		Type P1	Short term exposure	
Environmental exposure controls Other information	:	Avoid release to the env Do not eat, drink or smo the product. Do not brea	ke when using this product. Wash h	hands immediately after handling

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0093



SECTION 9: Physical and chemical properties

Appearance:Powder.Colour:whitishOdour:characteristicOdour threshold:No data availablepH: $5.5 - 8 \ 10g/l$ Relative evaporation rate (butylacetate=1):Not specifically applicableMelting point / Freezing point:Melting point: Not specifically applicableBoiling point:Not specifically applicableFlash point:Not specifically applicableAuto-ignition temperature:> 120 °CFlammability (solid, gas):No data availableVapour pressure:Vapour pressure: Not specifically applicableRelative density:Relative vapour density at 20 °C: Not specifically applicableDensity:Density: 1.1 – 1.5 g/cm³ 20 °C
Odour: characteristicOdour threshold: No data availablepH: 5.5 - 8 10g/lRelative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Melting point: Not specifically applicable Freezing point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 120 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable
Odour threshold: No data availablepH: 5.5 - 8 10g/lRelative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Melting point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 120 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable
pH: 5.5 - 8 10g/lRelative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Melting point: Not specifically applicable Freezing point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 120 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable
Relative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Melting point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 120 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable
Melting point / Freezing point: Melting point: Not specifically applicable Freezing point: Not specifically applicableBoiling point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 120 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable
Freezing point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 120 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable
Boiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 120 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable
Flash point: Not specifically applicableAuto-ignition temperature: > 120 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable
Auto-ignition temperature: > 120 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable
Flammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable
Vapour pressure : Vapour pressure: Not specifically applicable Relative density : Relative vapour density at 20 °C: Not specifically applicable
Relative density : Relative vapour density at 20 °C: Not specifically applicable
Density : Density: 1.1 – 1.5 g/cm ³ 20 °C
Relative density: Not specifically applicable
Solubility : Water: > 10 g/l @ 20°C
Log Pow : < 0
Viscosity, kinematic : Not specifically applicable
Viscosity, dynamic : Not specifically applicable
Explosive properties : Product is not explosive. Dust may form explosive mixture in air.
Explosive limits : No data available
Minimum ignition energy : > 10 mJ
Fat solubility : No data available
Conbustion class : 5
Smoldering temperature : 280 °C
pmax : 10 bar
Dust explosion category : ST1
KSt : < 200 bar*m/s
Ignition temperature : > 460 °C

SECTION 10: Stability and reactivity	
Reactivity Chemical stability Possibility of hazardous reactions Conditions to avoid Incompatible materials Hazardous decomposition products	 The product is non-reactive under normal conditions of use, storage and transport. Stable under normal conditions. No dangerous reactions known under normal conditions of use. No decomposition if stored normally. Strong oxidizing agent. Under normal conditions of storage and use, hazardous decomposition products should not
	be produced.

SECTION 11: Toxicological inform	nation
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
Tylose H 60000 YP2	
LD50 oral rat	> 2000 mg/kg (OECD 425 method)
Glyoxal (107-22-2)	
LD50 oral	200 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	2.44 mg/l/4h
Skin corrosion/irritation	: Not classified pH: 5.5 – 8 10g/l

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0093



Serious eye damage/irritation	: Not classified pH: 5.5 – 8 10g/l
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Glyoxal (107-22-2)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Other information	: When used and handled according to specifications, the product does not have any harmful
	effects according to our experience and the information provided to us

SECTION 12: Ecological information	
12.1. Ecotoxicity	
Hazardous to the aquatic environment, short-term :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified
(acute) Hazardous to the aquatic environment, long-term : (chronic) Other information :	Not classified Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.
Tylose H 60000 YP2	Do not release ununuted of in higher quantities into the groundwater, sewerage of waters.
LC50 fish 1	> 500 mg/l (OECD 203 method)
EC50 - Other aquatic organisms [1]	> 1000 mg/l (OECD 209 method)
Log Pow	< 0
Glyoxal (107-22-2)	
LC50 fish 1	86 mg/l
Log Pow	-1.15
12.2. Persistence and degradability	
Tylose H 60000 YP2	
Persistence and degradability	Product is biodegradable. Does not affect the functioning of waste-water treatment plants. In case of loss of large quantities, advice local authorities.
Chemical oxygen demand (COD)	< 1500 mg/g
12.3. Bioaccumulative potential	
Tylose H 60000 YP2	
Log Pow	< 0
Bioaccumulative potential	Not potentially bioaccumulable.
Glyoxal (107-22-2)	
Log Pow	-1.15

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0093



12.4. Mobility in soil	
Glyoxal (107-22-2)	
Log Pow	-1.15
12.5. Other adverse effects	
	Not classified No additional information available
Tylose H 60000 YP2	
Fluorinated greenhouse gases	False
Cellulose, 2 - hydroxyethyl ether, retarded (9004-62-0)	
Fluorinated greenhouse gases	False
Glyoxal (107-22-2)	
Fluorinated greenhouse gases	False

SECTION 13: Disposal considerations

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

ADG	IMDG	ΙΑΤΑ
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
14.6. Special precautions for user		
Specific storage requirement Shock sensitivity	No data availableNo data available	
14.7. Additional information		
Other information	: No supplementary information available	
Transport by road and rail Not applicable		
Transport by sea Not applicable		
Air transport Not applicable		

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0093



14.8. Hazchem or Emergency Action Code

Hazchem Code

: Not applicable

SECTION 15	· Regulatory	y information
	regulator	ymormation

15.1. Safety, health and environmental regulations specific for the product in question

Other information on relevant regulations

: All components of this mixture are listed on or exempted from AICS

15.2. International agreements

No additional information available

Abbreviations and acronyms	: ADR - European Agreement concerning the International Carriage of Dangerous Goods by
	Road
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways
	IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
	DOT - Department of Transport
	TDG - Transportation of Dangerous Goods
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
	(EC) No 1907/2006
	GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemical
	IARC - International Agency for Research on Cancer
	vPvB - Very Persistent and Very Bioaccumulative
	PBT - Persistent Bioaccumulative Toxic
	PNEC - Predicted No-Effect Concentration
	CAS - CAS (Chemical Abstracts Service) number
	IBC-Code - International Code for the Construction and Equipment of Ships carrying
	Dangerous Chemicals in Bulk
	ATE - Acute Toxicity Estimate
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	BCF - Bioconcentration factor
	MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution
	From Ships
	ADG - Transport of Australian Dangerous Goods
Revision date	: 14/06/2019
Other information	: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular
	employing of the product (in this sense consult information on use and on product), but to
	liberation of major amounts in case of accidents and irregularities. The information
	describes exclusively the safety requirements for the product(s) and is based on the preser
	level of our knowledge. The delivery specifications are contained in the corresponding
	product sheet. This data does not constitute a guarantee for the characteristics of the
	product(s) as defined by the legal warranty regulations.

Full text of H-statements	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0093



Full text of H-statements	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.