Safety Data Sheet

according to the Model Work Health and Safety Regulations Issue date:17/01/2018 Revision date:25/09/2019 Supersedes:14/06/2019 Version: 5.4 SDS No: 10896-0143



SECTION 1: Product identifier		
1.1. GHS Product identifier		
Product form Substance name Product code	: Substance : Tylose MH 10000 KG4 : MHEC_K	
1.2. Other means of identification		
Further information	: UFI: Not classified = Not applicable	
1.3. Recommended use of the chemical and	d restrictions on use	
Recommended use Restrictions on use	 Rheological Additive Special applications Coating material Chemical for use in construction There is no information available on applications that are not advised 	
1.4. Details of manufacturer or importer		
Manufacturer SE Tylose GmbH & Co. KG Kasteler Straße 45 Wiesbaden 65203 Germany T + 49 611 962 6309 product.safety@setylose.com - www.setylose.com Importer Admil Adhesives 80-84 Peters Avenue Mulgrave, VIC, 3170 Australia T Business Hours (03) 8544 6200 support@silicone.com.au E-mail address of competent person responsible for	Informing department Customer Service / Sales T +49 611 962 6325 reiner.posprich@setylose.com	
1.5. Emergency phone number		
Emergency number	: Emergency CONTACT Australia (24-Hour-Number): Infotrac/GBK GmbH Customer ID: 102867	+61-280735031
SECTION 2: Hazard identification		
2.1. Classification of the hazardous chemic	cal	
Classification according to the model Work Heal		

Not classified

2.2. GHS Label elements, including precautionary statements

No labelling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Dust may form explosive mixture in air. Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0143



SECTION 3: Composition and information on ingredients

Comments

: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006.

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Cellulose methyl ether, 2-hydroxyethyl ether	9032-42-2	> 92,5	Not classified
Other substances (not contributing to the classification of this product)	-	< 7,5	Not classified
Glyoxal	107-22-2	< 0,05	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 2, H341 STOT SE 3, H335

Comments

: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 4: First aid measures	
4.1. Description of necessary first-aid mea	sures
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove person to fresh air and keep comfortable for breathing. Call a doctor. Wash skin with plenty of water. Rinse immediately with plenty of water, also under the eyelids. Consult an ophthalmologist if irritation persists. Rinse mouth. If symptoms persist, call a physician.
4.2. Symptoms caused by exposure	
Symptoms/effects after skin contact Symptoms/effects after eye contact	May cause sensitisation of susceptible persons by skin contact.May cause eye irritation.
4.3. Medical attention and special treatmen	nt
Treatment	: Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	 Sand. Alcohol resistant foam. Chemical powder. Carbon dioxide. Water spray. No data available. 	
5.2. Specific hazards arising from the chem	nical	
General measures Hazardous decomposition products in case of fire	 Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water. Toxic fumes may be released. Carbon oxides (CO, CO2). 	
5.3. Special protective equipment and prec	autions for fire-fighters	
Protection during firefighting	: Self-contained breathing apparatus.	

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0143



SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.	
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area.	
6.1.2. For emergency responders Protective equipment	: Wear recommended personal protective equipment.	
6.2. Environmental precautions		
Large amounts of the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.		
6.3. Methods and materials for containment and cleaning up		
Methods for cleaning up	: Shovel or sweep up and put in a closed container for disposal. Avoid dust formation.	

SECTION 7: Handling and storage	je
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Avoid dust formation. Dust may form explosive mixture in air. Keep away from sources of ignition - No smoking. Do not eat, drink or smoke when using this product. Always wash hands after handling the
7.2. Conditions for safe storage, inc	product. Iuding any incompatibilities
Storage conditions Information on mixed storage	Material is hygroscopic. Protect from atmospheric moisture and water.No special storage requirements.

SECTION 8. Ex	posure controls and	nersonal	protection
	posure controls and	personal	protection

.1. Control parameters - exposure standards
Tylose MH 10000 KG4
Australia - Occupational Exposure Limits
Obey TLV for common dust, if applicable
·
2. Biological Monitoring

No additional information available

8.3. Engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Avoid dust formation.
8.4. Individual protection measures, suc	h as personal protective equipment (PPE)
Hand protection	: Not required for normal conditions of use. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer
Eye protection	: Not required for normal conditions of use
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0143



Device	Filter type	Condition	Standard
Breathing apparatus with filter	Type P1	Short term exposure	
Environmental exposure controls :	Avoid release to the environmer	nt.	·
	Do not eat, drink or smoke wher the product. Do not breathe dust	0 1	s immediately after handling

SECTION 9: Physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: whitish
Odour	: odourless
Odour threshold	: No data available
рН	: 6 – 8 10g/l
Relative evaporation rate (butylacetate=1)	: Not specifically applicable
Melting point / Freezing point	: Melting point: Not specifically applicable Freezing point: Not specifically applicable
Boiling point	: Not specifically applicable
Flash point	: Not specifically applicable
Auto-ignition temperature	: > 170 °C
Flammability (solid, gas)	: No data available
Vapour pressure	: Vapour pressure: Not specifically applicable
Relative density	: Relative vapour density at 20 °C: Not specifically applicable
Density	: Density: 1.1 – 1.5 g/cm ³ 20 °C
	Relative density: Not specifically applicable
Solubility	: Water: > 10 g/l @ 20°C
Log Pow	: <0
Viscosity, kinematic	: Not specifically applicable
Viscosity, dynamic	: Not specifically applicable
Explosive properties	: Product is not explosive. Dust may form explosive mixture in air.
Explosive limits	: No data available
Minimum ignition energy	: > 10 mJ
Fat solubility	: No data available
Conbustion class	: 5
Smoldering temperature	: >450 °C
pmax	: 10 bar
Dust explosion category	: ST1
KSt	: < 200 bar*m/s
Ignition temperature	: > 400 °C

SECTION 10: Stability and reactivity

Reactivity Chemical stability	The product is non-reactive under normal conditions of use, storage and transport.Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: No decomposition if stored normally.
Incompatible materials	: Strong oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not
	be produced.

SECTION 11: Toxicological information		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0143



Tylose MH 10000 KG4	
LD50 oral rat	> 2000 mg/kg (OECD 425 method)
Glyoxal (107-22-2)	
LD50 oral	200 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	2.44 mg/l/4h
Skin corrosion/irritation :	Not classified pH: 6 – 8 10g/l
Serious eye damage/irritation :	Not classified pH: 6 – 8 10g/l
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
Glyoxal (107-22-2)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Other information :	When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us

SECTION 12: Ecological information		
12.1. Ecotoxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Hazardous to the aquatic environment, short-term (acute)	: Not classified	
Hazardous to the aquatic environment, long-term (chronic)	: Not classified	
Other information	: Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.	
Tylose MH 10000 KG4		

LC50 fish 1	> 500 mg/l (OECD 203 method)
EC50 Daphnia 1	> 100 mg/l daphnia
EC50 - Other aquatic organisms [1]	> 1000 mg/l (OECD 209 method)
Log Pow	< 0
Glyoxal (107-22-2)	
LC50 fish 1	86 mg/l
Log Pow	-1.15

12.2. Persistence and degradability

Tylose MH 10000 KG4	
Persistence and degradability	Product is biodegradable. Does not affect the functioning of waste-water treatment plants. In case of loss of large quantities, advice local authorities.
Chemical oxygen demand (COD)	< 1500 mg/g

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0143



12.3. Bioaccumulative potential			
Tylose MH 10000 KG4			
Log Pow	< 0		
Bioaccumulative potential	Not potentially bioaccumulable.		
Glyoxal (107-22-2)	Glyoxal (107-22-2)		
Log Pow	-1.15		
12.4. Mobility in soil			
Glyoxal (107-22-2)			
Log Pow	-1.15		
12.5. Other adverse effects			
	Not classified No additional information available		
Tylose MH 10000 KG4			
Fluorinated greenhouse gases	False		
Cellulose methyl ether, 2-hydroxyethyl ether (9032-42-2)			
Fluorinated greenhouse gases	False		
Other substances (not contributing to the classification of this product)			
Fluorinated greenhouse gases	False		
Glyoxal (107-22-2)			
Fluorinated greenhouse gases	False		

SECTION 13: Disposal considerations

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

ADG	IMDG	ΙΑΤΑ
14.1. UN number	· · · ·	
Not applicable	Not applicable	Not applicable
14.2. UN Proper Shipping Name	· · · ·	
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)	· · · ·	
Not applicable	Not applicable	Not applicable
14.4. Packing group	· · · ·	
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	· · · ·	
Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0143



Shock sensitivity	: No data available	
14.7. Additional information		
Other information	: No supplementary information available	
Transport by road and rail Not applicable		
Transport by sea Not applicable		
Air transport Not applicable		
14.8. Hazchem or Emergency Action Cod	e	
Hazchem Code	: Not applicable	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental re	gulations specific for the product in question	
Other information on relevant regulations	: All components of this mixture are listed on or exempted from AICS	
15.2. International agreements		

No additional information available

SECTION 16: Other information	
Abbreviations and acronyms	: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
	IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
	DOT - Department of Transport
	TDG - Transportation of Dangerous Goods
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
	(EC) No 1907/2006
	GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
	IARC - International Agency for Research on Cancer
	vPvB - Very Persistent and Very Bioaccumulative
	PBT - Persistent Bioaccumulative Toxic
	PNEC - Predicted No-Effect Concentration
	CAS - CAS (Chemical Abstracts Service) number
	IBC-Code - International Code for the Construction and Equipment of Ships carrying
	Dangerous Chemicals in Bulk
	ATE - Acute Toxicity Estimate
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	BCF - Bioconcentration factor
	MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution
	From Ships
	ADG - Transport of Australian Dangerous Goods
Revision date	: 25/09/2019

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0143



Other information

: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H-statements	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.