Safety Data Sheet

according to the Model Work Health and Safety Regulations Issue date:17/01/2018 Revision date:14/06/2019 Supersedes:17/01/2018 Version: 5.2 SDS No: 10896-0132



ubstance ylose MH 50 G4 IHEC FI: Not classified = Not applicable trictions on use heological Additive pecial applications oating material hemical for use in construction here is no information available on applications that are not advised
ylose MH 50 G4 IHEC FI: Not classified = Not applicable trictions on use heological Additive pecial applications oating material hemical for use in construction
ylose MH 50 G4 IHEC FI: Not classified = Not applicable trictions on use heological Additive pecial applications oating material hemical for use in construction
trictions on use heological Additive pecial applications oating material hemical for use in construction
trictions on use heological Additive pecial applications oating material hemical for use in construction
heological Additive pecial applications oating material hemical for use in construction
pecial applications oating material hemical for use in construction
Informing department Customer Service / Sales T +49 611 962 6325 reiner.posprich@setylose.com
mergency CONTACT Australia (24-Hour-Number): Infotrac/GBK GmbH +61-28073503

Not classified

000			And a first discussion	and a second second	
2.2. G	SHS Label	elements	, incluaing	precautionary	y statements

No labelling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Dust may form explosive mixture in air. Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0132



SECTION 3: Composition and information on ingredients

```
Comments
```

: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006.

Name	CAS-No.		Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Cellulose methyl ether, 2-hydroxyethyl ether	9032-42-2	> 92,5	Not classified
Other substances (not contributing to the classification of this product)	-	< 7,5	Not classified

Comments

: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 4: First aid measures	
4.1. Description of necessary first-aid	measures
First-aid measures after inhalation First-aid measures after skin contact	Remove person to fresh air and keep comfortable for breathing. Call a doctor.Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse immediately with plenty of water, also under the eyelids. Consult an ophthalmologist if irritation persists.
First-aid measures after ingestion 4.2. Symptoms caused by exposure	: Rinse mouth. If symptoms persist, call a physician.
Symptoms/effects after skin contact	: May cause sensitisation of susceptible persons by skin contact.
Symptoms/effects after eye contact	: May cause eye irritation.
4.3. Medical attention and special trea	tment

Treatment

: Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.4. Evitinguishing modio	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Sand. Alcohol resistant foam. Chemical powder. Carbon dioxide. Water spray.No data available.
5.2. Specific hazards arising from the chem	nical
General measures Hazardous decomposition products in case of fire	 Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water. Toxic fumes may be released. Carbon oxides (CO, CO2).
5.3. Special protective equipment and prec	autions for fire-fighters
Protection during firefighting	: Self-contained breathing apparatus.

SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0132



6.1.2. For emergency responders

Protective equipment

: Wear recommended personal protective equipment.

6.2. Environmental precautions

Large amounts of the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

: Shovel or sweep up and put in a closed container for disposal. Avoid dust formation.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid dust formation. Dust may form explosive mixture in air. Keep away from sources of ignition - No smoking.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Storage conditions Information on mixed storage	Material is hygroscopic. Protect from atmospheric moisture and water.No special storage requirements.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards	
Tylose MH 50 G4	
Australia - Occupational Exposure Limits	
	Obey TLV for common dust, if applicable
8.2. Biological Monitoring	

No additional information available

8.3. Engineering controls			
Appropriate engineering controls	: Ensure good ventil	ation of the work station. Avoid dust form	nation.
8.4. Individual protection measures, such a	as personal protect	ve equipment (PPE)	
Hand protection	depends not only c each manufacturer	rmal conditions of use. Choosing the pro on the type of material, but also on other . Please follow the instructions related to ovided by the manufacturer	quality features, which differ for
Eye protection	: Not required for no	rmal conditions of use	
Skin and body protection	: Wear suitable prote	ective clothing	
Respiratory protection	: In case of insufficie	ent ventilation, wear suitable respiratory	equipment
Device	Filter type	Condition	Standard
Breathing apparatus with filter	Type P1	Short term exposure	
Environmental exposure controls Other information	 Avoid release to th Do not eat, drink of the product. Do not 	r smoke when using this product. Wash	hands immediately after handling

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0132



SECTION 9: Physical and chemical properties

Appearance: Powder.ColourwhitishOdour: odourlessOdour threshold: No data availablepH: 6 - 8 10g/lRelative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Melting point: Not specifically applicableFreezing point: Not specifically applicableFreezing point: Not specifically applicableFash point: Not specifically applicableFlasmmability (solid, gas): Not specifically applicableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Water: > 10 g/l @ 20°CLog Pow: Not specifically applicableViscosity, kinematic: Not specifically applicableExplosive properties: Product is not explosive. Dust may form explosive mixture in air.Explosive properties: No data availableViscosity, kinematic: Not data availableMinimum ignition energy: > 10 mJFat solubility: Not data availableMinimum ignition energy: > 10 mJFat solubility: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableMinimum ignition energy: > 10 mJFat solubility <th>Physical state</th> <th>: Solid</th>	Physical state	: Solid
Odour: odourlessOdour threshold: No data availablepH: 6 - 8 10g/lRelative evaporation rate (butylacetate=1): Not specifically applicableBoiling point / Freezing point: Metting point: Not specifically applicableFreezing point: Not specifically applicableFreezing point: Not specifically applicableFammability (solid, gas): Not specifically applicableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Vater: > 10 g/l @ 20°CSolubility: Not specifically applicableViscosity, kinematic: Not specifically applicableViscosity, kinematic: Not specifically applicableExplosive properties: Not specifically applicableExplosive ilmits: Not specifically applicableExplosive properties: < 0	Appearance	: Powder.
Odour threshold: No data availablepH: 6 - 8 10g/lRelative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Melting point: Not specifically applicableBoiling point: Not specifically applicableFreezing point: Not specifically applicableFlash point: Not data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Uwater: > 10 g/l @ 20 °CLog Pow: < 0	Colour	: whitish
pH : 6 - 8 10g/l Relative evaporation rate (butylacetate=1) : Not specifically applicable Melting point / Freezing point : Melting point: Not specifically applicable Boiling point : Not specifically applicable Freezing point : Not specifically applicable Auto-ignition temperature : > 170 °C Flammability (solid, gas) : No data available Vapour pressure : Vapour pressure: Not specifically applicable Relative density : Relative vapour density at 20 °C: Not specifically applicable Density : Density: 1.1 - 1.5 g/cm³ 20 °C Relative density: Not specifically applicable : Vater: > 10 g/l @ 20°C Log Pow : < 0	Odour	: odourless
Relative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Melting point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature:> 170 °CFlammability (solid, gas): Not specifically applicableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Utate: > 10 g/l @ 20°CRelative density: Water: > 10 g/l @ 20°CLog Pow: < 0	Odour threshold	: No data available
Melting point / Freezing point: Melting point: Not specifically applicable Freezing point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C. Not specifically applicableDensity: Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0	рН	: 6 – 8 10g/l
Freezing point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C. Not specifically applicableDensity: Density: 1.1 - 1.5 g/cm³ 20 °CRelative density:: Water: > 10 g/l @ 20°CLog Pow: < 0	Relative evaporation rate (butylacetate=1)	: Not specifically applicable
Boiling point:Not specifically applicableFlash point:Not specifically applicableAuto-ignition temperature:> 170 °CFlammability (solid, gas):No data availableVapour pressure:Vapour pressure: Not specifically applicableRelative density:Relative vapour density at 20 °C: Not specifically applicableDensity:Density: 1.1 - 1.5 g/cm³ 20 °CRelative density::Water: > 10 g/l @ 20°CLog Pow:<0	Melting point / Freezing point	: Melting point: Not specifically applicable
Flash point: Not specifically applicableAuto-ignition temperature:> 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density: 1.1 - 1.5 g/cm³ 20 °CRelative density: Water: > 10 g/l @ 20°CLog Pow: < 0		Freezing point: Not specifically applicable
Auto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density: 1.1 - 1.5 g/cm³ 20 °CRelative density: Water: > 10 g/l @ 20°CLog Pow: < 0	Boiling point	: Not specifically applicable
Flammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density: 1.1 – 1.5 g/cm³ 20 °CRelative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20 °CLog Pow: < 0	Flash point	: Not specifically applicable
Vapour pressure:Vapour pressure: Not specifically applicableRelative density:Relative vapour density at 20 °C: Not specifically applicableDensity:Density: 1.1 – 1.5 g/cm³ 20 °CRelative density: Not specifically applicable:Relative density: Not specifically applicableSolubility:Water: > 10 g/l @ 20°CLog Pow:< 0	Auto-ignition temperature	: > 170 °C
Relative density:Relative vapour density at 20 °C: Not specifically applicableDensity:Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility:Water: > 10 g/l @ 20°CLog Pow:<<0	Flammability (solid, gas)	: No data available
Density:Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility:Water: > 10 g/l @ 20°CLog Pow:< < 0	Vapour pressure	: Vapour pressure: Not specifically applicable
Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Relative density	: Relative vapour density at 20 °C: Not specifically applicable
Solubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Density	: Density: 1.1 – 1.5 g/cm ³ 20 °C
Log Pow:< 0Viscosity, kinematic:Not specifically applicableViscosity, dynamic:Not specifically applicableExplosive properties:Product is not explosive. Dust may form explosive mixture in air.Explosive limits:No data availableMinimum ignition energy:> 10 mJFat solubility:No data availableConbustion class:5Smoldering temperature:>450 °Cpmax:10 barDust explosion category:ST1		Relative density: Not specifically applicable
Viscosity, kinematic: Not specifically applicableViscosity, dynamic: Not specifically applicableExplosive properties: Product is not explosive. Dust may form explosive mixture in air.Explosive limits: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1	Solubility	: Water: > 10 g/l @ 20°C
Viscosity, dynamic: Not specifically applicableExplosive properties: Product is not explosive. Dust may form explosive mixture in air.Explosive limits: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1	Log Pow	: <0
Explosive properties: Product is not explosive. Dust may form explosive mixture in air.Explosive limits: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1	Viscosity, kinematic	: Not specifically applicable
Explosive limits: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1	Viscosity, dynamic	: Not specifically applicable
Minimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1	Explosive properties	: Product is not explosive. Dust may form explosive mixture in air.
Fat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1	•	: No data available
Conbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1	• •	
Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1	, , , , , , , , , , , , , , , , , , ,	: No data available
pmax : 10 bar Dust explosion category : ST1	Conbustion class	
Dust explosion category : ST1	Smoldering temperature	
	pmax	
KSt : < 200 bar*m/s		: ST1
	KSt	
Ignition temperature : > 400 °C	Ignition temperature	: > 400 °C

SECTION 10: Stability and reactivit	ty
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: No decomposition if stored normally.
Incompatible materials	: Strong oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not

be produced.

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Tylose MH 50 G4	
LD50 oral rat	> 2000 mg/kg (OECD 425 method)
Skin corrosion/irritation	: Not classified
	pH: 6 – 8 10g/l
Serious eye damage/irritation	: Not classified
	pH: 6 – 8 10g/l
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0132



Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Other information	: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us

SECTION 12: Ecological information		
12.1. Ecotoxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Hazardous to the aquatic environment, short-term (acute)	: Not classified	
Hazardous to the aquatic environment, long-term (chronic)	: Not classified	
Other information	: Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.	
Tylose MH 50 G4		
LC50 fish 1	> 500 mg/l (OECD 203 method)	
ECEO Dophnia 1	- 100 mg/l daphnia	

LC30 IISH I	> 500 mg/i (OECD 203 method)
EC50 Daphnia 1	> 100 mg/l daphnia
EC50 - Other aquatic organisms [1]	> 1000 mg/l (OECD 209 method)
Log Pow	< 0

12.2. Persistence and degradability

Tylose MH 50 G4	
o i	Product is biodegradable. Does not affect the functioning of waste-water treatment plants. In case of loss of large quantities, advice local authorities.
Chemical oxygen demand (COD)	< 1500 mg/g

12.3. Bioaccumulative potential

Tylose MH 50 G4	
Log Pow	< 0
Bioaccumulative potential	Not potentially bioaccumulable.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects		
	Not classified No additional information available	
Tylose MH 50 G4		
Fluorinated greenhouse gases	False	
Cellulose methyl ether, 2-hydroxyethyl ether (9032-42-2)		
Fluorinated greenhouse gases	False	
Other substances (not contributing to the classification of this product)		
Fluorinated greenhouse gases	False	

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0132



SECTION 13: Disposal considerations

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

14.1. UN numberNot applicableNot applicable14.2. UN Proper Shipping NameNot applicableNot applicableNot applicableNot applicable14.3. Transport hazard class(es)Not applicableNot applicableNot applicableNot applicable14.4. Packing groupNot applicableNot applicableNot applicableNot applicable14.5. Environmental hazardsNot applicableNot applicable14.6. Special precautions for user	Not applicable Not applicable Not applicable Not applicable
14.2. UN Proper Shipping Name Not applicable Not applicable 14.3. Transport hazard class(es) Not applicable Not applicable 14.4. Packing group Not applicable Not applicable 14.5. Environmental hazards Not applicable Not applicable	Not applicable Not applicable Not applicable
Not applicable Not applicable 14.3. Transport hazard class(es) Not applicable Not applicable 14.4. Packing group Not applicable	Not applicable Not applicable
14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable	Not applicable Not applicable
Not applicable Not applicable 14.4. Packing group Not applicable Not applicable 14.5. Environmental hazards Not applicable	Not applicable
14.4. Packing group Not applicable Not applicable 14.5. Environmental hazards Not applicable Not applicable	Not applicable
Not applicable Not applicable 14.5. Environmental hazards Not applicable	
14.5. Environmental hazards Not applicable Not applicable	
Not applicable Not applicable	Not applicable
	Not oppliable
4.6. Special precautions for user	Not applicable
Specific storage requirement : No data available Shock sensitivity : No data available	
4.7. Additional information	
ther information : No supplementary information available	
Transport by road and rail Not applicable	
ransport by sea Iot applicable	
Air transport Not applicable	
14.8. Hazchem or Emergency Action Code	
lazchem Code : Not applicable	
SECTION 15: Regulatory information	
5.1. Safety, health and environmental regulations specific for the product in question	n
ther information on relevant regulations : All components of this mixture are listed on or	exempted from AICS
5.2. International agreements	

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0132



SECTION 16: Other information

Abbreviations and acronyms	: ADR - European Agreement concerning the International Carriage of Dangerous Goods by
	Road
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways
	IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail DOT - Department of Transport
	TDG - Transportation of Dangerous Goods
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
	GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals IARC - International Agency for Research on Cancer
	vPvB - Very Persistent and Very Bioaccumulative
	PBT - Persistent Bioaccumulative Toxic
	PNEC - Predicted No-Effect Concentration
	CAS - CAS (Chemical Abstracts Service) number
	IBC-Code - International Code for the Construction and Equipment of Ships carrying
	Dangerous Chemicals in Bulk
	ATE - Acute Toxicity Estimate
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 BCF - Bioconcentration factor
	MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
	ADG - Transport of Australian Dangerous Goods
Revision date	: 14/06/2019
Other information	: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular
	employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present
	level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.