#### Safety Data Sheet

according to the Model Work Health and Safety Regulations

Issue date:17/01/2018 Revision date:06/06/2019 Supersedes:17/01/2018 Version: 5.3

SDS No: 10896-0250



#### **SECTION 1: Product identifier**

#### 1.1. GHS Product identifier

Product form : Substance

Substance name Tylose MH 6000 YG8

MHEC R Product code

#### 1.2. Other means of identification

Further information : UFI: Not classified = Not applicable

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use Rheological Additive

> Special applications Coating material

Chemical for use in construction

Informing department

T +49 611 962 6325

Customer Service / Sales

reiner.posprich@setylose.com

There is no information available on applications that are not advised Restrictions on use

#### 1.4. Details of manufacturer or importer

#### Manufacturer

SE Tylose GmbH & Co. KG Kasteler Straße 45 Wiesbaden 65203

Germany

T + 49 611 962 6309

product.safety@setylose.com - www.setylose.com

#### Importer

Admil Adhesives 80-84 Peters Avenue Mulgrave, VIC, 3170

Australia

T Business Hours (03) 8544 6200

support@silicone.com.au

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

## 1.5. Emergency phone number

Emergency number : Emergency CONTACT Australia (24-Hour-Number): Infotrac/GBK GmbH +61-280735031

Customer ID: 102867

## **SECTION 2: Hazard identification**

#### 2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Not classified

#### 2.2. GHS Label elements, including precautionary statements

No labelling applicable

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Dust may form explosive mixture in air. Handle in accordance with good industrial hygiene

and safety practice.

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

SDS No: 10896-0250



#### **SECTION 3: Composition and information on ingredients**

Comments

: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006.

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Cellulose methyl ether, 2-hydroxyethyl ether, retarded	9032-42-2	≥92	Not classified
Other substances (not contributing to the classification of this product)	-	< 7,5	Not classified
Glyoxal	107-22-2	< 0,5	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 2, H341 STOT SE 3, H335

Comments

: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## **SECTION 4: First aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a doctor.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse immediately with plenty of water, also under the eyelids. Consult an ophthalmologist if

irritation persists.

First-aid measures after ingestion : Rinse mouth. If symptoms persist, call a physician.

#### 4.2. Symptoms caused by exposure

Symptoms/effects after skin contact : May cause sensitisation of susceptible persons by skin contact.

Symptoms/effects after eye contact : May cause eye irritation.

#### 4.3. Medical attention and special treatment

Treatment : Treat symptomatically.

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Alcohol resistant foam. Chemical powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media : No data available.

## 5.2. Specific hazards arising from the chemical

General measures : Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon oxides (CO, CO2).

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Self-contained breathing apparatus.

### Safety Data Sheet

according to the Model Work Health and Safety Regulations

SDS No: 10896-0250



#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment.

#### 6.2. Environmental precautions

Large amounts of the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Shovel or sweep up and put in a closed container for disposal. Avoid dust formation.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid dust

formation. Dust may form explosive mixture in air. Keep away from sources of ignition - No

smoking.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Material is hygroscopic. Protect from atmospheric moisture and water.

Information on mixed storage : No special storage requirements.

#### **SECTION 8: Exposure controls and personal protection**

### 8.1. Control parameters - exposure standards

#### Tylose MH 6000 YG8

Australia - Occupational Exposure Limits

Obey TLV for common dust, if applicable

#### 8.2. Biological Monitoring

No additional information available

## 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Avoid dust formation.

#### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Not required for normal conditions of use. Choosing the proper glove is a decision that

depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the

penetration time provided by the manufacturer

Eye protection : Not required for normal conditions of use

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

SDS No: 10896-0250



Device	Filter type	Condition	Standard
Breathing apparatus with filter	Type P1	Short term exposure	
Environmental exposure controls :	Avoid release to the environmen	nt.	

Other information : Do not eat, drink or smoke when using this product. Wash hands immediately after handling

the product. Do not breathe dust.

## **SECTION 9: Physical and chemical properties**

Physical state : Solid
Appearance : Powder.
Colour : whitish
Odour : odourless
Odour threshold : No data available
pH : 6 - 8 10g/l

Relative evaporation rate (butylacetate=1) : Not specifically applicable

Melting point / Freezing point : Melting point: Not specifically applicable

Freezing point: Not specifically applicable

Boiling point : Not specifically applicable Flash point : Not specifically applicable

Auto-ignition temperature :  $> 170 \, ^{\circ}\text{C}$  Flammability (solid, gas) : No data available

Vapour pressure : Vapour pressure: Not specifically applicable

Relative density : Relative vapour density at 20 °C: Not specifically applicable

Density : Density: 1.1 – 1.5 g/cm³ 20 °C

Relative density: Not specifically applicable

Solubility : Water:  $> 10 \text{ g/l} @ 20^{\circ}\text{C}$ 

Log Pow : < '

Viscosity, kinematic : Not specifically applicable Viscosity, dynamic : Not specifically applicable

Explosive properties : Product is not explosive. Dust may form explosive mixture in air.

Explosive limits : No data available

Minimum ignition energy : > 10 mJ

Fat solubility : No data available

 Conbustion class
 : 5

 Smoldering temperature
 : >450 °C

 pmax
 : 10 bar

 Dust explosion category
 : ST1

 KSt
 : < 200 bar\*m/s</td>

Ignition temperature : > 400 °C

#### **SECTION 10: Stability and reactivity**

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : No decomposition if stored normally.

Incompatible materials : Strong oxidizing agent.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not

be produced.

#### **SECTION 11: Toxicological information**

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

SDS No: 10896-0250



Tylose MH 6000 YG8	
LD50 oral rat	> 2000 mg/kg (OECD 425 method)
Glyoxal (107-22-2)	
LD50 oral	200 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	2.44 mg/l/4h
Skin corrosion/irritation :	Tet diagonica
Serious eye damage/irritation :	pH: 6 – 8 10g/l Not classified pH: 6 – 8 10g/l
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
Glyoxal (107-22-2)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Other information :	When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us

## **SECTION 12: Ecological information**

-	_	_									
1	2.1	н	C	n	tc	77	4	C	Т	h	V

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Other information

: Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.

Culoi information	Do not roleade analiated of in ringher quantities into the groundwater, contrage of waterer
Tylose MH 6000 YG8	
LC50 fish 1	> 500 mg/l (OECD 203 method)
EC50 Daphnia 1	> 100 mg/l (OECD 203 method)
EC50 - Other aquatic organisms [1]	> 1000 mg/l (OECD 209 method)
Log Pow	<1
Glyoxal (107-22-2)	
LC50 fish 1	86 mg/l
Log Pow	-1.15

## 12.2. Persistence and degradability

Tylose MH 6000 YG8	
Persistence and degradability	Product is biodegradable. Does not affect the functioning of waste-water treatment plants. In case of loss of large quantities, advice local authorities.
Chemical oxygen demand (COD)	< 1500 mg/g

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

SDS No: 10896-0250



## 12.3. Bioaccumulative potential

Tylose MH 6000 YG8		
Log Pow	<1	
Bioaccumulative potential	Not potentially bioaccumulable.	
Glyoxal (107-22-2)		
Log Pow	-1.15	

## 12.4. Mobility in soil

Glyoxal (107-22-2)	
Log Pow	-1.15

#### 12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

Tylose MH 6000 YG8	
Fluorinated greenhouse gases	False

Cellulose methyl ether, 2-hydroxyethyl ether, retarded (9032-42-2)

Fluorinated greenhouse gases False

Glyoxal (107-22-2)

Fluorinated greenhouse gases False

Other substances (not contributing to the classification of this product)

Fluorinated greenhouse gases False

## **SECTION 13: Disposal considerations**

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

ADG	IMDG	IATA			
14.1. UN number					
Not applicable	Not applicable	Not applicable			
14.2. UN Proper Shipping Name					
Not applicable	Not applicable	Not applicable			
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable			
14.4. Packing group					
Not applicable	Not applicable	Not applicable			
14.5. Environmental hazards	14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable			

#### 14.6. Special precautions for user

Specific storage requirement : No data available

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

SDS No: 10896-0250

Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

#### 14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations specific for the product in question

Other information on relevant regulations : All components of this mixture are listed on or exempted from AICS

#### 15.2. International agreements

No additional information available

#### **SECTION 16: Other information**

Abbreviations and acronyms

: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

SE Tylose GmbH & Co. KG

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

**DOT - Department of Transport** 

TDG - Transportation of Dangerous Goods

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006

GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

IARC - International Agency for Research on Cancer

vPvB - Very Persistent and Very Bioaccumulative

PBT - Persistent Bioaccumulative Toxic

PNEC - Predicted No-Effect Concentration

CAS - CAS (Chemical Abstracts Service) number IBC-Code - International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

ATE - Acute Toxicity Estimate

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

BCF - Bioconcentration factor

MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution

From Ships

ADG - Transport of Australian Dangerous Goods

Revision date : 06/06/2019

6/06/2019 (Revision date) AU - en 7/8

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

SDS No: 10896-0250



Other information

: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H-statements	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.