Safety Data Sheet

according to the Model Work Health and Safety Regulations Issue date:17/01/2018 Revision date:14/06/2019 Supersedes:17/01/2018 Version: 5.2 SDS No: 10896-0133



SECTION 1: Product identifier		
1.1. GHS Product identifier		
Product form Substance name Product code	: Substance : Tylose MH 60000 P6 : MHEC	
1.2. Other means of identification		
Further information	: UFI: Not classified = Not applicable	
1.3. Recommended use of the chemical a	nd restrictions on use	
Recommended use	<ul> <li>Rheological Additive</li> <li>Special applications</li> <li>Coating material</li> <li>Chemical for use in construction</li> <li>There is no information available on applications that are not advised</li> </ul>	
1.4. Details of manufacturer or importer		
Manufacturer SE Tylose GmbH & Co. KG Kasteler Straße 45 Wiesbaden 65203 Germany T + 49 611 962 6309 product.safety@setylose.com - www.setylose.com Importer Admil Adhesives 80-84 Peters Avenue Mulgrave, VIC, 3170 Australia T Business Hours (03) 8544 6200 support@silicone.com.au E-mail address of competent person responsible for		
1.5. Emergency phone number		
Emergency number	: Emergency CONTACT Australia (24-Hour-Number): Infotrac/GBK GmbH - Customer ID: 102867	+61-280735031
SECTION 2: Hazard identification		
2.1. Classification of the hazardous chem	ical	
Classification according to the model Work Heat		

Not classified

2.2. GHS Label elements, including precautionary statements

No labelling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Dust may form explosive mixture in air. Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0133



### **SECTION 3: Composition and information on ingredients**

Comments

: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006.

Name	CAS-No.		Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Cellulose methyl ether, 2-hydroxyethyl ether	9032-42-2	> 92,5	Not classified
Other substances (not contributing to the classification of this product)	-	< 7,5	Not classified

Comments

: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 4: First aid measures	
4.1. Description of necessary first-aid	measures
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	<ul> <li>Remove person to fresh air and keep comfortable for breathing. Call a doctor.</li> <li>Wash skin with plenty of water.</li> <li>Rinse immediately with plenty of water, also under the eyelids. Consult an ophthalmologist if irritation persists.</li> </ul>
First-aid measures after ingestion 4.2. Symptoms caused by exposure	: Rinse mouth. If symptoms persist, call a physician.
Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul><li>May cause sensitisation of susceptible persons by skin contact.</li><li>May cause eye irritation.</li></ul>
4.3. Medical attention and special trea	tment

Treatment

: Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Sand. Alcohol resistant foam. Chemical powder. Carbon dioxide. Water spray.</li><li>No data available.</li></ul>
5.2. Specific hazards arising from the chem	nical
General measures Hazardous decomposition products in case of fire	<ul><li>Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.</li><li>Toxic fumes may be released. Carbon oxides (CO, CO2).</li></ul>
5.3. Special protective equipment and prec	autions for fire-fighters
Protection during firefighting	: Self-contained breathing apparatus.

SECTION 6: Accidental release me	easures
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area.

### Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0133



#### 6.1.2. For emergency responders

Protective equipment

: Wear recommended personal protective equipment.

### **6.2. Environmental precautions**

Large amounts of the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

6.2 Mothodo and r	motoriala for contain	ment and cleaning up
0.5. Methous and I	nale lais for contain	ment and cleaning up

Methods for cleaning up

: Shovel or sweep up and put in a closed container for disposal. Avoid dust formation.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid dust formation. Dust may form explosive mixture in air. Keep away from sources of ignition - No smoking.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Storage conditions Information on mixed storage	<ul><li>Material is hygroscopic. Protect from atmospheric moisture and water.</li><li>No special storage requirements.</li></ul>

### SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards	
Tylose MH 60000 P6	
Australia - Occupational Exposure Limits	
	Obey TLV for common dust, if applicable
8.2. Biological Monitoring	

### No additional information available

8.3. Engineering controls				
Appropriate engineering controls	: Ensure	e good ventilation of the w	ork station. Avoid dust format	ion.
8.4. Individual protection measures, such a	is persor	al protective equipme	ent (PPE)	
Hand protection	depen each r	ds not only on the type of	ns of use. Choosing the prope material, but also on other qu w the instructions related to the manufacturer	ality features, which differ for
Eye protection	: Not re	quired for normal condition	ns of use	
Skin and body protection	: Wear	suitable protective clothing	9	
Respiratory protection	: In cas	e of insufficient ventilation	, wear suitable respiratory equ	uipment
Device	Filter	type	Condition	Standard
Breathing apparatus with filter	Туре	P1	Short term exposure	
Environmental exposure controls Other information	: Do no	release to the environmer t eat, drink or smoke wher oduct. Do not breathe dus	using this product. Wash har	nds immediately after handling

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0133



### **SECTION 9: Physical and chemical properties**

Appearance:Powder.Colour:whitishOdour:odourlessOdour threshold:No data availablepH:6 - 8 10g/lRelative evaporation rate (butylacetate=1):Not specifically applicableMelting point / Freezing point:Mot specifically applicableFreezing point:Not specifically applicableFlash point:Not specifically applicablePalaro ablitity (solid, gas):No data availableVapour pressure:Vapour pressure: Not specifically applicableRelative density:Relative vapour density at 20 °C: Not specifically applicableSolubility:Vater: > 10 g/l @ 20°CLog Pow:<0Viscosity, kinematic:Not specifically applicableViscosity, kinematic:Not specifically applicableViscosity, dynamic:Not specifically applicableExplosive properties:Product is not explosive. Dust may form explosive mixture in air.Explosive limits:> 10 mJFat solubility:No data availableOutsion class:5Smoldering temperature:> 400 °Cpmax:10 barDust explosion category <t< th=""><th>Physical state</th><th>: Solid</th></t<>	Physical state	: Solid
Odour: odourlessOdour threshold: No data available $PH$ : 6 - 8 10g/lRelative evaporation rate (butylacetate=1): Not specifically applicableMetting point / Freezing point: Metting point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not ata availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Density: 1.1 - 1.5 g/cm³ 20 °CRelative density: Not specifically applicable: Not specifically applicableSolubility: Water: > 10 g/l @ 20 °CLog Pow: < 0		: Powder.
Odour threshold: No data availablepH: 6 - 8 10g/lRelative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Not specifically applicableBoiling point: Not specifically applicableFreezing point: Not specifically applicableFlash point: Not specifically applicableFlash point: Not specifically applicableFlash point: Not specifically applicableFlash point: Not specifically applicableFlammability (solid, gas): Not ata availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density: 1.1 - 1.5 g/cm³ 20 °CRelative density: Water: > 10 g/l @ 20°CLog Pow: < 0	Colour	: whitish
pH:6 - 8 10g/lRelative evaporation rate (butylacetate=1):Not specifically applicableMetting point / Freezing point:Metting point: Not specifically applicableBoiling point:Not specifically applicableFlash point:Not specifically applicableFlash point:Not specifically applicableAuto-ignition temperature:> 170 °CFlammability (solid, gas):Not data availableVapour pressure:Vapour pressure: Not specifically applicableRelative density:Relative vapour density at 20 °C: Not specifically applicableDensity::OViscosity, kinematic:Not specifically applicableViscosity, kinematic:Not specifically applicableViscosity, dynamic:Not specifically applicableExplosive properties:Product is not explosive. Dust may form explosive mixture in air.Explosive limits:No data availableMinimum ignition energy:> 10 mJFat solubility:No data availableConbustion class:5Smoldering temperature:> 450 °Cpmax:10 barDust explosion category:ST1KSt:< 200 bar*m/s	Odour	: odourless
Relative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Melting point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature:> 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Oensity: 1.1 - 1.5 g/cm 3 20 °CRelative density: Water: > 10 g/l @ 20 °CLog Pow: < 0	Odour threshold	: No data available
Melting point / Freezing point:Melting point: Not specifically applicable Freezing point: Not specifically applicableBoiling point:Not specifically applicableFlash point:Not specifically applicableAuto-ignition temperature:>170 °CFlammability (solid, gas):No data availableVapour pressure:Vapour pressure: Not specifically applicableRelative density:Relative vapour density at 20 °C: Not specifically applicableDensity:Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility:Vater: > 10 g/l @ 20°CLog Pow:< 0	рН	: 6 – 8 10g/l
Melting point / Freezing point:Melting point: Not specifically applicable Freezing point: Not specifically applicableBoiling point:Not specifically applicableFlash point:Not specifically applicableAuto-ignition temperature:>170 °CFlammability (solid, gas):No data availableVapour pressure:Vapour pressure: Not specifically applicableRelative density:Relative vapour density at 20 °C: Not specifically applicableDensity:Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility:Vater: > 10 g/l @ 20°CLog Pow:< 0	Relative evaporation rate (butylacetate=1)	: Not specifically applicable
Boiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density: 1.1 - 1.5 g/cm 320 °CRelative density: Vapour pressure: > 10 g/l @ 20°CSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0		: Melting point: Not specifically applicable
Flash point: Not specifically applicableAuto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C. Not specifically applicableDensity: Density: 1.1 – 1.5 g/cm³ 20 °CRelative density: Vater: > 10 g/l @ 20°CLog Pow: < 0		Freezing point: Not specifically applicable
Auto-ignition temperature:> 170 °CFlammability (solid, gas):No data availableVapour pressure:Vapour pressure: Not specifically applicableRelative density:Relative vapour density at 20 °C: Not specifically applicableDensity:Density: 1.1 – 1.5 g/cm³ 20 °CRelative density:Density: Not specifically applicableSolubility:Water: > 10 g/l @ 20°CLog Pow:< 0	Boiling point	: Not specifically applicable
Flarmability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Flash point	: Not specifically applicable
Vapour pressure:Vapour pressure: Not specifically applicableRelative density:Relative vapour density at 20 °C: Not specifically applicableDensity::Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility::Water: > 10 g/l @ 20°CLog Pow:< 0	Auto-ignition temperature	: >170 °C
Relative density:Relative vapour density at 20 °C: Not specifically applicableDensity:Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility:Water: > 10 g/l @ 20°CLog Pow:< 0	Flammability (solid, gas)	: No data available
Density:Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility:Water: > 10 g/l @ 20°CLog Pow:< 0	Vapour pressure	: Vapour pressure: Not specifically applicable
Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Relative density	: Relative vapour density at 20 °C: Not specifically applicable
Solubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Density	
Log Pow:< 0Viscosity, kinematic:Not specifically applicableViscosity, dynamic:Not specifically applicableExplosive properties:Product is not explosive. Dust may form explosive mixture in air.Explosive limits:No data availableMinimum ignition energy:> 10 mJFat solubility:No data availableConbustion class:5Smoldering temperature:>450 °Cpmax:10 barDust explosion category:ST1KSt:< 200 bar*m/s		Relative density: Not specifically applicable
Viscosity, kinematic: Not specifically applicableViscosity, dynamic: Not specifically applicableExplosive properties: Product is not explosive. Dust may form explosive mixture in air.Explosive limits: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s	Solubility	: Water: > 10 g/l @ 20°C
Viscosity, dynamic:Not specifically applicableExplosive properties:Product is not explosive. Dust may form explosive mixture in air.Explosive limits:No data availableMinimum ignition energy:> 10 mJFat solubility:No data availableConbustion class:5Smoldering temperature:>450 °Cpmax:10 barDust explosion category:ST1KSt:< 200 bar*m/s	Log Pow	: <0
Explosive properties:Product is not explosive. Dust may form explosive mixture in air.Explosive limits:No data availableMinimum ignition energy:> 10 mJFat solubility:No data availableConbustion class:5Smoldering temperature:>450 °Cpmax:10 barDust explosion category:ST1KSt:< 200 bar*m/s	Viscosity, kinematic	: Not specifically applicable
Explosive limits: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s	Viscosity, dynamic	: Not specifically applicable
Minimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s		
Fat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s		
Conbustion class:5Smoldering temperature:>450 °Cpmax:10 barDust explosion category:ST1KSt:< 200 bar*m/s		: > 10 mJ
Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s	,	: No data available
pmax : 10 bar Dust explosion category : ST1 KSt : < 200 bar*m/s		-
Dust explosion category     :     ST1       KSt     :     < 200 bar*m/s	Smoldering temperature	
KSt : < 200 bar*m/s	•	
Ignition temperature : > 400 °C		
	Ignition temperature	: > 400 °C

SECTION 10: Stability and reactiv	ity
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: No decomposition if stored normally.
Incompatible materials	: Strong oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not

be produced.

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Tylose MH 60000 P6	
LD50 oral rat	> 2000 mg/kg (OECD 425 method)
Skin corrosion/irritation	: Not classified
	pH: 6 – 8 10g/l
Serious eye damage/irritation	: Not classified
	pH: 6 – 8 10g/l
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

## Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0133



Reproductive toxicity STOT-single exposure	: Not classified : Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Other information	: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us

SECTION 12: Ecological information
------------------------------------

12.1. Ecotoxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Other information	: Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.
Tylose MH 60000 P6	
LC50 fish 1	> 500 mg/l (OECD 203 method)
EC50 Daphnia 1	> 100 mg/l daphnia
EC50 - Other aquatic organisms [1]	> 1000 mg/l (OECD 209 method)
Log Pow	< 0
12.2. Persistence and degradability	

Tylose MH 60000 P6	
	Product is biodegradable. Does not affect the functioning of waste-water treatment plants. In case of loss of large quantities, advice local authorities.
Chemical oxygen demand (COD)	< 1500 mg/g

### 12.3. Bioaccumulative potential

Tylose MH 60000 P6	
Log Pow	< 0
Bioaccumulative potential	Not potentially bioaccumulable.

### 12.4. Mobility in soil

### No additional information available

12.5. Other adverse effects		
	Not classified No additional information available	
Tylose MH 60000 P6		
Fluorinated greenhouse gases	False	
Cellulose methyl ether, 2-hydroxyethyl ether (9032-42-2)		
Fluorinated greenhouse gases	False	
Other substances (not contributing to the classification of this product)		
Fluorinated greenhouse gases	False	

## Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0133



### SECTION 13: Disposal considerations

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

ADG	IMDG	ΙΑΤΑ
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)	· · · · ·	
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	· · · · · · · · · · · · · · · · · · ·	
Not applicable	Not applicable	Not applicable
4.6. Special precautions for user		
Specific storage requirement Shock sensitivity	: No data available : No data available	
14.7. Additional information		
Other information	: No supplementary information available	
Fransport by road and rail Not applicable Fransport by sea Not applicable		
Air transport Not applicable		
14.8. Hazchem or Emergency Action C	ode	
Hazchem Code	: Not applicable	
SECTION 15: Regulatory information	on	
15.1. Safety, health and environmental	regulations specific for the product in question	۱
Other information on relevant regulations	: All components of this mixture are listed on or e	exempted from AICS
15.2. International agreements		
U		

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0133



### **SECTION 16: Other information**

Abbreviations and acronyms	: ADR - European Agreement concerning the International Carriage of Dangerous Goods by
	Road
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways
	IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
	DOT - Department of Transport
	TDG - Transportation of Dangerous Goods
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
	GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
	IARC - International Agency for Research on Cancer
	vPvB - Very Persistent and Very Bioaccumulative
	PBT - Persistent Bioaccumulative Toxic
	PNEC - Predicted No-Effect Concentration
	CAS - CAS (Chemical Abstracts Service) number
	IBC-Code - International Code for the Construction and Equipment of Ships carrying
	Dangerous Chemicals in Bulk
	ATE - Acute Toxicity Estimate
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	BCF - Bioconcentration factor
	MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution
	From Ships
	ADG - Transport of Australian Dangerous Goods
Revision date	: 14/06/2019
Other information	: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular
	employing of the product (in this sense consult information on use and on product), but to
	liberation of major amounts in case of accidents and irregularities. The information
	describes exclusively the safety requirements for the product(s) and is based on the presen
	level of our knowledge. The delivery specifications are contained in the corresponding
	product sheet. This data does not constitute a guarantee for the characteristics of the
	product(s) as defined by the legal warranty regulations.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.