Safety Data Sheet

according to the Model Work Health and Safety Regulations Issue date:17/01/2018 Revision date:04/03/2022 Supersedes:14/06/2019 Version: 5.3 SDS No: 10896-0146



SECTION 1: Product identifier		
1.1. GHS Product identifier		
Product form Product name Product code	: Mixture : Tylose MHS 100005 P3 : MHEC-600	
1.2. Other means of identification		
Further information	: UFI: Not classified = Not applicable	
1.3. Recommended use of the chemical and	d restrictions on use	
Recommended use Restrictions on use	 Rheological Additive Special applications Coating material Chemical for use in construction There is no information available on applications that are not advised 	
1.4. Details of manufacturer or importer		
Manufacturer SE Tylose GmbH & Co. KG Kasteler Straße 45 Wiesbaden 65203 Germany T + 49 611 962 6309 product.safety@setylose.com - www.setylose.com Importer Admil Adhesives 80-84 Peters Avenue Mulgrave, VIC, 3170 Australia T Business Hours (03) 8544 6200 support@silicone.com.au E-mail address of competent person responsible for	Informing department Customer Service / Sales T +49 611 962 6325 reiner.posprich@setylose.com	
1.5. Emergency phone number		
Emergency number	: Emergency CONTACT Australia (24-Hour-Number): Infotrac/GBK GmbH Customer ID: 102867	+61-280735031
SECTION 2: Hazard identification		
2.1. Classification of the hazardous chemic	al	
Classification according to the model Work Heal	th and Safety Regulations (WHS Regulations)	

Not classified

2.2. GHS Label elements, including precautionary statements

No labelling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Dust may form explosive mixture in air. Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0146

SECTION 3: Composition and information on ingredients

Comments

: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006.

Name	CAS-No.		Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Cellulose methyl ether, 2-hydroxyethyl ether, modified	9032-42-2	≥ 85 – < 95	Not classified
N,N,N-Trimethyl-3-[(1-oxo-2-propenyl)amino]-1- propanaminium chloride polymer with 2-propenamide	75150-29-7	1 - 8,5	Aquatic Chronic 3, H412

Comments

: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 4: First aid measures	
4.1. Description of necessary first-aid m	easures
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove person to fresh air and keep comfortable for breathing. Call a doctor. Wash skin with plenty of water. Rinse immediately with plenty of water, also under the eyelids. Consult an ophthalmologist if irritation persists. Rinse mouth. If symptoms persist, call a physician.
4.2. Symptoms caused by exposure	
Symptoms/effects after skin contact Symptoms/effects after eye contact	May cause sensitisation of susceptible persons by skin contact.May cause eye irritation.
4.3. Medical attention and special treatm	nent
Treatment	: Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Sand. Alcohol resistant foam. Chemical powder. Carbon dioxide. Water spray.No data available.	
5.2. Specific hazards arising from the chemical		
General measures Hazardous decomposition products in case of fire	Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.Toxic fumes may be released. Carbon oxides (CO, CO2).	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Self-contained breathing apparatus.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area.	

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0146

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Large amounts of the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

6.3. Methods and materials for containment and cleaning up	
Methods for cleaning up	: Shovel or sweep up and put in a closed container for disposal. Avoid dust formation.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Avoid dust formation. Dust may form explosive mixture in air. Keep away from sources of ignition - No smoking. Do not eat, drink or smoke when using this product. Always wash hands after handling the not eat.
product. 7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions Information on mixed storage	Material is hygroscopic. Protect from atmospheric moisture and water.No special storage requirements.

SECTION 8: Exposure controls and personal protection 8.1. Control parameters - exposure standards **Tylose MHS 100005 P3** Australia - Occupational Exposure Limits Obey TLV for common dust, if applicable 8.2. Biological Monitoring No additional information available 8.3. Engineering controls Appropriate engineering controls : Ensure good ventilation of the work station. Avoid dust formation. 8.4. Individual protection measures, such as personal protective equipment (PPE) : Not required for normal conditions of use. Choosing the proper glove is a decision that Hand protection depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer Eye protection Not required for normal conditions of use Skin and body protection Wear suitable protective clothing ÷ : In case of insufficient ventilation, wear suitable respiratory equipment Respiratory protection Device Filter type Condition Standard Breathing apparatus with filter Type P1 Short term exposure

Environmental exposure controls :	Avoid release to the environmer	nt.	
Other information :	Do not eat, drink or smoke when	n using this product. Wash hands	s immediately after handling
	the product. Do not breathe dust	t.	

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0146

SECTION 9: Physical and chemical pr	operties
Physical state	: Solid
Appearance	: Powder.
Colour	: whitish
Odour	: odourless
Odour threshold	: No data available
рН	: 6 – 8 10g/l
Relative evaporation rate (butylacetate=1)	: Not specifically applicable
Melting point / Freezing point	: Melting point: Not specifically applicable
	Freezing point: Not specifically applicable
Boiling point	: Not specifically applicable
Flash point	: Not specifically applicable
Auto-ignition temperature	: > 170 °C
Flammability (solid, gas)	: No data available
Vapour pressure	: Vapour pressure: Not specifically applicable
Relative density	: Relative vapour density at 20 °C: Not specifically applicable
Density	: Density: 1.1 – 1.5 g/cm ³ 20 °C
	Relative density: Not specifically applicable
Solubility	: Water: > 10 g/l @ 20°C
Log Pow	: <0
Viscosity, kinematic	: Not specifically applicable
Viscosity, dynamic	: Not specifically applicable
Explosive properties	: Product is not explosive. Dust may form explosive mixture in air.
Explosive limits	: No data available
Minimum ignition energy	: > 10 mJ
Fat solubility	: No data available
Conbustion class	: 5
Smoldering temperature	: >450 °C
pmax	: 10 bar
Dust explosion category	: ST1
KSt	: < 200 bar*m/s
Ignition temperature	: > 400 °C

SECTION 10: Stability and reactivi	ty
Reactivity Chemical stability	 The product is non-reactive under normal conditions of use, storage and transport. Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: No decomposition if stored normally.
Incompatible materials	: Strong oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
Tylose MHS 100005 P3	
LD50 oral rat	> 2000 mg/kg (OECD 425 method)
Skin corrosion/irritation	: Not classified pH: 6 – 8 10g/l
Serious eye damage/irritation	: Not classified pH: 6 – 8 10g/l
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0146

Reproductive toxicity STOT-single exposure	: Not classified : Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard Other information	 Not classified When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us

SECTION 12: Ecological information	
12.1. Ecotoxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) Other information	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.
Tylose MHS 100005 P3	
LC50 fish 1	> 500 mg/l (OECD 203 method)
EC50 - Other aquatic organisms [1]	> 1000 mg/l (OECD 209 method)
12.2. Persistence and degradability	
Tylose MHS 100005 P3	
Persistence and degradability	Product is biodegradable. Does not affect the functioning of waste-water treatment plants. In case of loss of large quantities, advice local authorities.
Chemical oxygen demand (COD)	< 1500 mg/g
12.3. Bioaccumulative potential	
Tylose MHS 100005 P3	
Log Pow	< 0
Bioaccumulative potential	Not potentially bioaccumulable.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Ozone	: Not classified

Other adverse effects :	No additional information available	
Tylose MHS 100005 P3		
Fluorinated greenhouse gases	False	
Cellulose methyl ether, 2-hydroxyethyl ether, modified (9032-42-2)		
Fluorinated greenhouse gases	False	
N,N,N-Trimethyl-3-[(1-oxo-2-propenyl)amino]-1-propanaminium chloride polymer with 2-propenamide (75150-29-7)		
Fluorinated greenhouse gases	False	

SECTION 13: Disposal considerations	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0146

ADG	IMDG	IATA
I4.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN Proper Shipping Name	· · · ·	
Not applicable	Not applicable	Not applicable
4.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
4.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
4.6. Special precautions for user		
pecific storage requirement	: No data available	
hock sensitivity	: No data available	
4.7. Additional information		
ther information	: No supplementary information available	
ransport by road and rail ot applicable		
ransport by sea ot applicable		
ir transport ot applicable		
4.8. Hazchem or Emergency Action Co	ode	
azchem Code	: Not applicable	
ECTION 15: Regulatory information	on	
5.1. Safety, health and environmental	regulations specific for the product in question	۱
ther information on relevant regulations	: All components of this mixture are listed on or e	

15.2. International agreements

No additional information available

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0146

SECTION 16: Other information	
Abbreviations and acronyms	 ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IATA - International Air Transport Association IMDG - International Maritime Dangerous Goods RID - Regulations concerning the International Carriage of Dangerous Goods by Rail DOT - Department of Transport TDG - Transportation of Dangerous Goods REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals IARC - International Agency for Research on Cancer vPvB - Very Persistent and Very Bioaccumulative PBT - Persistent Bioaccumulative Toxic PNEC - Predicted No-Effect Concentration CAS - CAS (Chemical Abstracts Service) number IBC-Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ATE - Acute Toxicity Estimate CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 BCF - Bioconcentration factor MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution From Ships ADG - Transport of Australian Dangerous Goods
Revision date Other information	 04/03/2022 Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.
Classification	
Not classified	
Full text of H-statements	

Aquatic Chronic 3Hazardous to the aquatic environment — Chronic Hazard, Category 3H412Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.