Safety Data Sheet

according to the Model Work Health and Safety Regulations Issue date:17/01/2018 Revision date:14/06/2019 Supersedes:17/01/2018 Version: 5.2 SDS No: 10896-0197



SECTION 1: Product identifier		
1.1. GHS Product identifier		
Product form Product name Product code	: Mixture : Tylose MHS 30027 P6 : MHEC_M	
1.2. Other means of identification		
Further information	: UFI: Not classified = Not applicable	
1.3. Recommended use of the chemical and	d restrictions on use	
Recommended use	 Rheological Additive Special applications Coating material Additive for mortar There is no information available on applications that are not advised 	
1.4. Details of manufacturer or importer		
Manufacturer SE Tylose GmbH & Co. KG Kasteler Straße 45 Wiesbaden 65203 Germany T + 49 611 962 6309 product.safety@setylose.com - www.setylose.com Importer Admil Adhesives 80-84 Peters Avenue Mulgrave, VIC, 3170 Australia T Business Hours (03) 8544 6200 support@silicone.com.au E-mail address of competent person responsible for	Informing department Customer Service / Sales T +49 611 962 6325 <u>reiner.posprich@setylose.com</u> the SDS: sds@gbk-ingelheim.de	
1.5. Emergency phone number		
Emergency number	: Emergency CONTACT Australia (24-Hour-Number): Infotrac/GBK GmbH Customer ID: 102867	+61-280735031
SECTION 2: Hazard identification		
2.1. Classification of the hazardous chemic	al	
Classification according to the model Work Healt	th and Safety Regulations (WHS Regulations)	

Not classified

2.2. GHS Label elements, including precautionary statements

No labelling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Dust may form explosive mixture in air. Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0197



SECTION 3: Composition and information on ingredients

```
Comments
```

: A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006.

Name	CAS-No.		Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Cellulose methyl ether, 2-hydroxyethyl ether, modified	9032-42-2	90 - 95	Not classified
Other substances (not contributing to the classification of this product)	-	5 - 10	Not classified

Comments

: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 4: First aid measures	
4.1. Description of necessary first-aid	Imeasures
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eve contact	 Remove person to fresh air and keep comfortable for breathing. Call a doctor. Wash skin with plenty of water. Rinse immediately with plenty of water, also under the evelids. Consult an ophthalmologist if
First-aid measures after ingestion	irritation persists.Rinse mouth. If symptoms persist, call a physician.
4.2. Symptoms caused by exposure	
Symptoms/effects after skin contact Symptoms/effects after eye contact	May cause sensitisation of susceptible persons by skin contact.May cause eye irritation.
4.3. Medical attention and special trea	atment

Treatment

: Treat symptomatically.

SECTION 5: Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Sand. Alcohol resistant foam. Chemical powder. Carbon dioxide. Water spray.No data available.
5.2. Specific hazards arising from the chem	nical
General measures Hazardous decomposition products in case of fire	Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.Toxic fumes may be released. Carbon oxides (CO, CO2).
5.3. Special protective equipment and prec	autions for fire-fighters
Protection during firefighting	: Self-contained breathing apparatus.

SECTION 6: Accidental release	e measures
6.1. Personal precautions, protect	tive equipment and emergency procedures
General measures	: Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0197



6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Large amounts of the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

6.3. Methods and materials for conta	unment and cleaning	up
--------------------------------------	---------------------	----

Methods for cleaning up

: Shovel or sweep up and put in a closed container for disposal. Avoid dust formation.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Avoid dus formation. Dust may form explosive mixture in air. Keep away from sources of ignition - No smoking. Do not eat, drink or smoke when using this product. Always wash hands after handling the
7.2. Conditions for safe storage, in	product. ncluding any incompatibilities
Storage conditions Information on mixed storage	 Material is hygroscopic. Protect from atmospheric moisture and water. No special storage requirements.

SECTION 8: Exposure controls and pe	ersonal protection
8.1. Control parameters - exposure standa	ırds
Tylose MHS 30027 P6	
Australia - Occupational Exposure Limits	
	Obey TLV for common dust, if applicable
8.2. Biological Monitoring	
No additional information available	
8.3. Engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Avoid dust formation.

Hand protection		depends not only on t each manufacturer. P	al conditions of use. Choosing the pr he type of material, but also on other lease follow the instructions related t ded by the manufacturer	quality features, which differ for
Eye protection	:	Not required for norma	al conditions of use	
Skin and body protection	:	Wear suitable protecti	ve clothing	
Respiratory protection	:	In case of insufficient	ventilation, wear suitable respiratory	equipment
Device		Filter type	Condition	Standard
Breathing apparatus with filter		Туре Р1	Short term exposure	
Environmental exposure controls Other information		Avoid release to the e Do not eat. drink or sr	· ·	hands immediately after har

the product. Do not breathe dust.

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0197



SECTION 9: Physical and chemical properties

Appearance:Powder.Colour:whitshOdour:odourlessOdour threshold:No data availablePH:6 - 8 10g/lRelative evaporation rate (butylacetate=1):Not specifically applicableMetting point / Freezing point:Metting point: Not specifically applicableBoiling point:Not specifically applicableBoiling point:Not specifically applicableFreezing point:Not specifically applicableAuto-ignition temperature:> 170 °CFlash point:Not specifically applicableAuto-ignition temperature:> 170 °CRelative density:Not data availableVapour pressure:Vapour pressure: Not specifically applicableSolubility::Relative density at 20 °C. Not specifically applicableSolubility:::Not specifically applicableViscosity, kinematic::Not specifically applicableViscosity, kinematic:Not specifically applicableViscosity, kinematic:Not specifically applicableViscosity, kinematic:Not data availableViscosity, kinematic:Not specifically applicableViscosity, kinematic:Not specifically applicableViscosity, kinematic:Not specifically applicableViscosity, kinematic:No data availableConbustion class::Solubi	Physical state	: Solid
Odour: odourlessOdour threshold: No data available pH : 6 - 8 10g/lRelative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Melting point: Not specifically applicableFreezing point: Not specifically applicableBolling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 170 °CFlammability (solid, gas): Not specifically applicableVapour pressure: > 10 data availableVapour pressure: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Vater: > 10 g/l @ 20 °CRelative density: Not specifically applicableViscosity, kinematic: Not specifically applicableViscosity, kinematic: Not specifically applicableViscosity, kinematic: Not specifically applicableExplosive properties: Not data availableMinimum ignition energy: Not data availableMinimum ignition energy: Not data availableConbusion class: SSouldeling temperature: No data availableMinimum ignition energy: No data availableConbustion class: SSouldering temperature: S450 °Cpmax: 10 barDust explosion category: ST1KSt: 200 bartmix/s	Appearance	: Powder.
Odour threshold: No data available pH : $6 - 8 \ 10g/l$ Relative evaporation rate (butylacetate=1): Not specifically applicableMelting point / Freezing point: Melting point: Not specifically applicableBoiling point: Not specifically applicableFreezing point: Not specifically applicableFlash point: Not specifically applicableFlash point: Not specifically applicableFlash point: Not specifically applicableFlash point: Not data availableVapour pressure: Vapour pressure: Not specifically applicableVapour pressure: Vapour pressure: Not specifically applicableVapour pressure: Vapour pressure: Not specifically applicableRelative density: Density: 1.1 - 1.5 g/cm ² 20 °CBolibility: Water: > 10 g/l @ 20°CLog Pow: Not specifically applicableViscosity, kinematic: Not specifically applicableViscosity, dynamic: Not specifically applicableExplosive properties: Product is not explosive. Dust may form explosive mixture in air.Explosive limits: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 0 bar'm/sSubleing temperature: >450 °Cpmax: 0 bar'm/s	Colour	: whitish
pH:6 - 8 10g/lRelative evaporation rate (butylacetate=1):Not specifically applicableMetting point / Freezing point:Metting point: Not specifically applicableBoiling point:Not specifically applicableFlash point:Not specifically applicableFlash point:Not specifically applicableAuto-ignition temperature:> 170 °CFlammability (solid, gas):No data availableVapour pressure:Vapour pressure: Not specifically applicableVapour pressure:Not specifically applicableRelative density:Relative vapour density at 20 °C. Not specifically applicableDensity:Density: 1.1 - 1.5 g/cm³ 20 °CRelative density:Vapour pressure at 50 °C: Not specifically applicableViscosity, kinematic:Not specifically applicableViscosity, kinematic:Not specifically applicableViscosity, dynamic:Not specifically applicableExplosive properties:Product is not explosive. Dust may form explosive mixture in air.Explosive limits:No data availableMinimum ignition energy:> 10 mJFat solubility:No data availableConbustion class:5Smoldering temperature::>450 °Cpmax:10 barDust explosion category:ST1KSt:< 200 bar*m/s	Odour	: odourless
Relative evaporation rate (butylacetate=1): Not specifically applicable Freezing pointMelting point / Freezing point: Melting point: Not specifically applicable Freezing point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure at 50 °C. Not specifically applicable vapour pressure at 50 °C. Not specifically applicableRelative density: Relative vapour density at 20 °C. Not specifically applicableDensity: Vapour pressure at 50 °C. Not specifically applicableColluptow: < 0	Odour threshold	: No data available
Melting point / Freezing point: Melting point: Not specifically applicable Freezing point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicable vapour pressure at 50 °C: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicable vapour pressure at 50 °CDensity: Water: > 10 g/l @ 20 °C Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20 °C Relative density: Not specifically applicableViscosity, kinematic: Not specifically applicableViscosity, dynamic: Not specifically applicableExplosive properties: Product is not explosive. Dust may form explosive mixture in air.Explosive properties: > 10 mJFat solubility: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °C prmaxDust explosion category: ST1 KStKSt: < 200 bart m/s	рН	: 6 – 8 10g/l
Freezing point: Not specifically applicableBoiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicable vapour pressure at 50 °C: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Relative evaporation rate (butylacetate=1)	: Not specifically applicable
Boiling point: Not specifically applicableFlash point: Not specifically applicableAuto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicable vapour pressure at 50 °C: Not specifically applicableRelative density: Relative vapour density at 20 °C. Not specifically applicableDensity: Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Melting point / Freezing point	: Melting point: Not specifically applicable
Flash point: Not specifically applicableAuto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicable vapour pressure at 50 °C: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0		Freezing point: Not specifically applicable
Auto-ignition temperature: > 170 °CFlammability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicable Vapour pressure at 50 °C: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Boiling point	: Not specifically applicable
Flarmability (solid, gas): No data availableVapour pressure: Vapour pressure: Not specifically applicable Vapour pressure at 50 °C: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Flash point	: Not specifically applicable
Vapour pressure:Vapour pressure: Not specifically applicable Vapour pressure at 50 °C: Not specifically applicableRelative density:Relative vapour density at 20 °C: Not specifically applicableDensity:Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility:Water: > 10 g/l @ 20°CLog Pow:< 0	Auto-ignition temperature	: > 170 °C
Vapour pressure at 50 °C: Not specifically applicableRelative density: Relative vapour density at 20 °C: Not specifically applicableDensity: Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Flammability (solid, gas)	: No data available
Relative density:Relative vapour density at 20 °C: Not specifically applicableDensity:Density: 1.1 – 1.5 g/cm³ 20 °C Relative density: Not specifically applicableSolubility:Water: > 10 g/l @ 20°CLog Pow:< 0	Vapour pressure	: Vapour pressure: Not specifically applicable
Density:Density: $1.1 - 1.5$ g/cm³ 20 °C Relative density: Not specifically applicableSolubility:Water: > 10 g/l @ 20°CLog Pow:< 0		Vapour pressure at 50 °C: Not specifically applicable
Relative density: Not specifically applicableSolubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Relative density	
Solubility: Water: > 10 g/l @ 20°CLog Pow: < 0	Density	: Density: 1.1 – 1.5 g/cm ³ 20 °C
Log Pow:< 0Viscosity, kinematic:Not specifically applicableViscosity, dynamic:Not specifically applicableExplosive properties:Product is not explosive. Dust may form explosive mixture in air.Explosive limits:No data availableMinimum ignition energy:> 10 mJFat solubility:No data availableConbustion class:5Smoldering temperature:>450 °Cpmax:10 barDust explosion category:ST1KSt:< 200 bar*m/s		
Viscosity, kinematic: Not specifically applicableViscosity, dynamic: Not specifically applicableExplosive properties: Product is not explosive. Dust may form explosive mixture in air.Explosive limits: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s		•
Viscosity, dynamic:Not specifically applicableExplosive properties:Product is not explosive. Dust may form explosive mixture in air.Explosive limits:No data availableMinimum ignition energy:> 10 mJFat solubility:No data availableConbustion class:5Smoldering temperature:>450 °Cpmax:10 barDust explosion category:ST1KSt:< 200 bar*m/s	Log Pow	
Explosive properties:Product is not explosive. Dust may form explosive mixture in air.Explosive limits:No data availableMinimum ignition energy:> 10 mJFat solubility:No data availableConbustion class:5Smoldering temperature:>450 °Cpmax:10 barDust explosion category:ST1KSt:< 200 bar*m/s		
Explosive limits: No data availableMinimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s		
Minimum ignition energy: > 10 mJFat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s		
Fat solubility: No data availableConbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s	•	
Conbustion class: 5Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s	с с,	
Smoldering temperature: >450 °Cpmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s	5	
pmax: 10 barDust explosion category: ST1KSt: < 200 bar*m/s		
Dust explosion category : ST1 KSt : < 200 bar*m/s		
KSt : < 200 bar*m/s	•	
		-
Ignition temperature : > 400 °C		
	Ignition temperature	$: > 400 ^{\circ}\mathrm{C}$

SECTION 10: Stability and reactive	ity
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: No decomposition if stored normally.
Incompatible materials	: Strong oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Tylose MHS 30027 P6	
LD50 oral rat	> 2000 mg/kg
Skin corrosion/irritation	: Not classified
	pH: 6 – 8 10g/l
Serious eye damage/irritation	: Not classified
	pH: 6 – 8 10g/l
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0197



Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Other information	: When used and handled according to specifications, the product does not have any harmful
	effects according to our experience and the information provided to us

SECTION 12: Ecological information

12.1. Ecotoxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Other information	: Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.
Tylose MHS 30027 P6	
LC50 fish 1	> 500 mg/l (OECD 203 method)
EC50 - Other aquatic organisms [1]	> 1000 mg/l (OECD 209 method)
Log Pow	< 0

12.2. Persistence and degradability

Tylose MHS 30027 P6		
Persistence and degradability	Product is biodegradable. Does not affect the functioning of waste-water treatment plants. In case of loss of large quantities, advice local authorities.	
Chemical oxygen demand (COD)	< 1500 mg/g	

12.3. Bioaccumulative potential

Tylose MHS 30027 P6		
Log Pow	< 0	
Bioaccumulative potential	Not potentially bioaccumulable.	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects Ozone : Not classified Other adverse effects : No additional information available Tylose MHS 30027 P6 Fluorinated greenhouse gases False Cellulose methyl ether, 2-hydroxyethyl ether, modified (9032-42-2) Fluorinated greenhouse gases False Other substances (not contributing to the classification of this product) Fluorinated greenhouse gases False

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0197



SECTION 13: Disposal considerations

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

ADG	IMDG	ΙΑΤΑ
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
4.6. Special precautions for user		
pecific storage requirement	: No data available : No data available	
4.7. Additional information		
ther information	: No supplementary information available	
ransport by road and rail ot applicable		
ransport by sea ot applicable		
ir transport ot applicable		
14.8. Hazchem or Emergency Action C	ode	
azchem Code	: Not applicable	
SECTION 15: Regulatory information	on	
5.1. Safety, health and environmental	regulations specific for the product in question	on
	: All components of this mixture are listed on or	exempted from AICS
her information on relevant regulations	· · · · · · · · · · · · · · · · · · ·	

Safety Data Sheet

according to the Model Work Health and Safety Regulations SDS No: 10896-0197



SECTION 16: Other information

Abbreviations and acronyms	: ADR - European Agreement concerning the International Carriage of Dangerous Goods by
	Road
	ADN - European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways
	IATA - International Air Transport Association
	IMDG - International Maritime Dangerous Goods
	RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
	DOT - Department of Transport
	TDG - Transportation of Dangerous Goods
	REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
	(EC) No 1907/2006
	GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemical
	IARC - International Agency for Research on Cancer
	vPvB - Very Persistent and Very Bioaccumulative
	PBT - Persistent Bioaccumulative Toxic
	PNEC - Predicted No-Effect Concentration
	CAS - CAS (Chemical Abstracts Service) number
	IBC-Code - International Code for the Construction and Equipment of Ships carrying
	Dangerous Chemicals in Bulk
	ATE - Acute Toxicity Estimate
	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	BCF - Bioconcentration factor
	MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution
	From Ships
	ADG - Transport of Australian Dangerous Goods
Revision date	: 14/06/2019
Other information	: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular
	employing of the product (in this sense consult information on use and on product), but to
	liberation of major amounts in case of accidents and irregularities. The information
	describes exclusively the safety requirements for the product(s) and is based on the preser
	level of our knowledge. The delivery specifications are contained in the corresponding
	product sheet. This data does not constitute a guarantee for the characteristics of the
	product(s) as defined by the legal warranty regulations.

Classification	
Not classified	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.