

# Tylose MH 200 YP2

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

Issue date:17/01/2018 Revision date:06/06/2019 Supersedes:17/01/2018 Version: 5.3

SDS No: 10896-0244



SE Tylose GmbH & Co. KG

### SECTION 1: Product identifier

#### 1.1. GHS Product identifier

Product form : Substance  
Substance name : Tylose MH 200 YP2  
Product code : MHEC\_R

#### 1.2. Other means of identification

Further information : UFI: Not classified = Not applicable

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Rheological Additive  
Special applications  
Coating material  
Chemical for use in construction  
Restrictions on use : There is no information available on applications that are not advised

#### 1.4. Details of manufacturer or importer

##### Manufacturer

SE Tylose GmbH & Co. KG  
Kasteler Straße 45  
Wiesbaden 65203  
Germany  
T + 49 611 962 6309  
[product.safety@setylose.com](mailto:product.safety@setylose.com) - [www.setylose.com](http://www.setylose.com)

##### Informing department

Customer Service / Sales  
T +49 611 962 6325  
[reiner.posprich@setylose.com](mailto:reiner.posprich@setylose.com)

##### Importer

Admil Adhesives  
80-84 Peters Avenue  
Mulgrave, VIC, 3170  
Australia  
T Business Hours (03) 8544 6200  
[support@silicone.com.au](mailto:support@silicone.com.au)

E-mail address of competent person responsible for the SDS: [sds@gbk-ingelheim.de](mailto:sds@gbk-ingelheim.de)

#### 1.5. Emergency phone number

Emergency number : Emergency CONTACT Australia (24-Hour-Number): Infotrac/GBK GmbH +61-280735031  
Customer ID: 102867

### SECTION 2: Hazard identification

#### 2.1. Classification of the hazardous chemical

##### Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Not classified

#### 2.2. GHS Label elements, including precautionary statements

No labelling applicable

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Dust may form explosive mixture in air. Handle in accordance with good industrial hygiene and safety practice.

# Tylose MH 200 YP2

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

SDS No: 10896-0244



SE Tylose GmbH & Co. KG

### SECTION 3: Composition and information on ingredients

Comments : A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006.

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Cellulose methyl ether, 2-hydroxyethyl ether, retarded	9032-42-2	≥92	Not classified
Other substances (not contributing to the classification of this product)	-	< 7,5	Not classified
Glyoxal	107-22-2	< 0,5	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 2, H341 STOT SE 3, H335

Comments : When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

### SECTION 4: First aid measures

#### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a doctor.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse immediately with plenty of water, also under the eyelids. Consult an ophthalmologist if irritation persists.  
First-aid measures after ingestion : Rinse mouth. If symptoms persist, call a physician.

#### 4.2. Symptoms caused by exposure

Symptoms/effects after skin contact : May cause sensitisation of susceptible persons by skin contact.  
Symptoms/effects after eye contact : May cause eye irritation.

#### 4.3. Medical attention and special treatment

Treatment : Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Alcohol resistant foam. Chemical powder. Carbon dioxide. Water spray.  
Unsuitable extinguishing media : No data available.

#### 5.2. Specific hazards arising from the chemical

General measures : Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.  
Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon oxides (CO, CO<sub>2</sub>).

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Self-contained breathing apparatus.

# Tylose MH 200 YP2

## Safety Data Sheet

according to the Model Work Health and Safety Regulations  
SDS No: 10896-0244



SE Tylose GmbH & Co. KG

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid dust formation. Do not breathe dust. Forms slippery surfaces with water.

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

##### 6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment.

#### 6.2. Environmental precautions

Large amounts of the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Shovel or sweep up and put in a closed container for disposal. Avoid dust formation.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid dust formation. Dust may form explosive mixture in air. Keep away from sources of ignition - No smoking.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Material is hygroscopic. Protect from atmospheric moisture and water.

Information on mixed storage : No special storage requirements.

### SECTION 8: Exposure controls and personal protection

#### 8.1. Control parameters - exposure standards

##### Tylose MH 200 YP2

##### Australia - Occupational Exposure Limits

Obey TLV for common dust, if applicable

#### 8.2. Biological Monitoring

No additional information available

#### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Avoid dust formation.

#### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Not required for normal conditions of use. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Eye protection : Not required for normal conditions of use

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

# Tylose MH 200 YP2

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

SDS No: 10896-0244



SE Tylose GmbH & Co. KG

Device	Filter type	Condition	Standard
Breathing apparatus with filter	Type P1	Short term exposure	

Environmental exposure controls : Avoid release to the environment.  
Other information : Do not eat, drink or smoke when using this product. Wash hands immediately after handling the product. Do not breathe dust.

### SECTION 9: Physical and chemical properties

Physical state : Solid  
Appearance : Powder.  
Colour : whitish  
Odour : odourless  
Odour threshold : No data available  
pH : 6 – 8 10g/l  
Relative evaporation rate (butylacetate=1) : Not specifically applicable  
Melting point / Freezing point : Melting point: Not specifically applicable  
Freezing point: Not specifically applicable  
Boiling point : Not specifically applicable  
Flash point : Not specifically applicable  
Auto-ignition temperature : > 170 °C  
Flammability (solid, gas) : No data available  
Vapour pressure : Vapour pressure: Not specifically applicable  
Relative density : Relative vapour density at 20 °C: Not specifically applicable  
Density : Density: 1.1 – 1.5 g/cm<sup>3</sup> 20 °C  
Relative density: Not specifically applicable  
Solubility : Water: > 10 g/l @ 20°C  
Log Pow : < 1  
Viscosity, kinematic : Not specifically applicable  
Viscosity, dynamic : Not specifically applicable  
Explosive properties : Product is not explosive. Dust may form explosive mixture in air.  
Explosive limits : No data available  
Minimum ignition energy : > 10 mJ  
Fat solubility : No data available  
Combustion class : 5  
Smoldering temperature : >450 °C  
p<sub>max</sub> : 10 bar  
Dust explosion category : ST1  
KSt : < 200 bar\*m/s  
Ignition temperature : > 400 °C

### SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.  
Conditions to avoid : No decomposition if stored normally.  
Incompatible materials : Strong oxidizing agent.  
Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

# Tylose MH 200 YP2

## Safety Data Sheet

according to the Model Work Health and Safety Regulations  
SDS No: 10896-0244



SE Tylose GmbH & Co. KG

Tylose MH 200 YP2	
LD50 oral rat	> 2000 mg/kg (OECD 425 method)

Glyoxal (107-22-2)	
LD50 oral	200 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	2.44 mg/l/4h

Skin corrosion/irritation	: Not classified pH: 6 – 8 10g/l
Serious eye damage/irritation	: Not classified pH: 6 – 8 10g/l
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Glyoxal (107-22-2)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Other information	: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us

## SECTION 12: Ecological information

### 12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
Other information	: Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.

Tylose MH 200 YP2	
LC50 fish 1	> 500 mg/l (OECD 203 method)
EC50 Daphnia 1	> 100 mg/l (OECD 203 method)
EC50 - Other aquatic organisms [1]	> 1000 mg/l (OECD 209 method)
Log Pow	< 1

Glyoxal (107-22-2)	
LC50 fish 1	86 mg/l
Log Pow	-1.15

### 12.2. Persistence and degradability

Tylose MH 200 YP2	
Persistence and degradability	Product is biodegradable. Does not affect the functioning of waste-water treatment plants. In case of loss of large quantities, advice local authorities.
Chemical oxygen demand (COD)	< 1500 mg/g

# Tylose MH 200 YP2

## Safety Data Sheet

according to the Model Work Health and Safety Regulations  
SDS No: 10896-0244



SE Tylose GmbH & Co. KG

### 12.3. Bioaccumulative potential

#### Tylose MH 200 YP2

Log Pow	< 1
Bioaccumulative potential	Not potentially bioaccumulable.

#### Glyoxal (107-22-2)

Log Pow	-1.15
---------	-------

### 12.4. Mobility in soil

#### Glyoxal (107-22-2)

Log Pow	-1.15
---------	-------

### 12.5. Other adverse effects

Ozone : Not classified  
Other adverse effects : No additional information available

#### Tylose MH 200 YP2

Fluorinated greenhouse gases	False
------------------------------	-------

#### Cellulose methyl ether, 2-hydroxyethyl ether, retarded (9032-42-2)

Fluorinated greenhouse gases	False
------------------------------	-------

#### Glyoxal (107-22-2)

Fluorinated greenhouse gases	False
------------------------------	-------

#### Other substances (not contributing to the classification of this product)

Fluorinated greenhouse gases	False
------------------------------	-------

## SECTION 13: Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

ADG	IMDG	IATA
<b>14.1. UN number</b>		
Not applicable	Not applicable	Not applicable
<b>14.2. UN Proper Shipping Name</b>		
Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>		
Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>		
Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>		
Not applicable	Not applicable	Not applicable

### 14.6. Special precautions for user

Specific storage requirement : No data available

# Tylose MH 200 YP2

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

SDS No: 10896-0244



SE Tylose GmbH & Co. KG

Shock sensitivity : No data available

### 14.7. Additional information

Other information : No supplementary information available

#### Transport by road and rail

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

### 14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations specific for the product in question

Other information on relevant regulations : All components of this mixture are listed on or exempted from AICS

### 15.2. International agreements

No additional information available

## SECTION 16: Other information

Abbreviations and acronyms : ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IATA - International Air Transport Association  
IMDG - International Maritime Dangerous Goods  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
DOT - Department of Transport  
TDG - Transportation of Dangerous Goods  
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals  
IARC - International Agency for Research on Cancer  
vPvB - Very Persistent and Very Bioaccumulative  
PBT - Persistent Bioaccumulative Toxic  
PNEC - Predicted No-Effect Concentration  
CAS - CAS (Chemical Abstracts Service) number  
IBC-Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
ATE - Acute Toxicity Estimate  
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
BCF - Bioconcentration factor  
MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution From Ships  
ADG - Transport of Australian Dangerous Goods

Revision date : 06/06/2019

# Tylose MH 200 YP2

## Safety Data Sheet

according to the Model Work Health and Safety Regulations  
SDS No: 10896-0244



SE Tylose GmbH & Co. KG

### Other information

: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H-statements	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.